PHM Technology

Decisions better made

MADE MAINTENANCE AWARE DESIGN ECOSYSTEM Deployment Guide

December 2023

Contents Page

Introduction	3
About PHM Technology	3
PHM Technology Sales Partners	3
About MADE	3
Technical Support	4
MADE Resources	4
MADE installation	5
Standard Installation process	6
Silent Installation Process	10
Environment variables for Silent Installations Licensing	11
Running MADE for the first time	12
MADE Licensing	13
The MADE Improvement Program	13
Default (Cloud Based License Server)	13
Zentitle Relay Server	14
Zentitle Local Daemon Server	15
MADE Licensing - Offline Activation	17
Activation in a Single Session.	17
Activation over two Sessions.	22
Session 1	22
Session 2	25
Adding additional license codes	28
Offline Deactivation	31

2

Introduction

About PHM Technology

PHM Technology (PHMT) develops integrated, model- based engineering analysis solutions that optimize the design, and maintenance of complex engineering systems in mission & safety critical industries. Its two flagship software platforms are MADE and MODE.

PHM Technology Sales Partners

- Siemens (Global)
- Information Services International-Dentsu (Japan)
- CDT (Turkey)

About MADE

The Maintenance Aware Design Ecosystem (MADE) is a RAMS platform designed to identify and mitigate technical risk, optimize the design process, mitigate risks, increase availability and promote continuous engineering innovation for complex engineering systems.

MADE forms part of the PHM Ecosystem which constitutes two software platforms, the MADE & MODE software suites. Each platform targets a different stage of the product development lifecycle enabling each suite of tools to assist the digital transformation of those functions, breaking down the traditional siloed processes and connecting them via a RAMS digital backbone.

Underpinned by Digital RAMS Twins both MADE and MODE are able to deliver benefits to siloed RAMS analyses and simulation tools. your product that far exceed what is possible from traditional design and development processes or older generation siloed analyses RAMS and simulation tools.

Technical Support

PHMT provides technical support for customers.

- For MADE license and installation support, email support@phmtechnology.com.
- For MADE modeling support, contact your designated PHMT engineer or email <u>engineering@phmtechnology.com</u>.
- · For general feedback, please email us at feedback@phmtechnology.com.

MADE Resources

Conference presentations can be found at: <u>https://www.phmtechnology.com/resources/presentations.html</u>.

Technical papers can be downloaded from the PHMT website at: <u>https://www.phmtechnology.com/resources/technical-papers.html</u>.

The MADE support material can be found within the MADE software.

- MADE Training: Help > Help Contents >MADE Help > Manuals, Guides & Training Material > MADE Training Course
- MADE Guides: Help > Guides
- MADE Manuals: Help > Manuals
- MADE Workflows: Help > Help Contents >MADE Help > Workflows

MADE installation

The MADE software can be downloaded from the PHMT website at: <u>https://www.phmtechnology.com/resources/downloads.html.</u>

The minimum system requirements for the computers installing MADE are as follows:

- Windows® 8.1 (64-bit)
- Desktop CPU: Intel Core i3 or AMD Ryzen 3
- Laptop CPU: Intel i7
- 4GB RAM
- 50GB available HDD space
- 1366x768 HD screen resolution

The recommended system requirements are as follows:

- Windows® 10 or 11 (64-bit)
- Desktop CPU: Intel Core i5 / AMD Ryzen 5 or better
- Laptop CPU: Intel i7 or better
- 8GB RAM or more
- 100GB available HDD space
- 1920x1080 HD screen resolution or better

Standard Installation process

Step 1: Run the MADE Setup file. Depending on your Windows configuration, you may be asked if you want to allow this application to make changes your device. If so, please confirm the Verified publisher is PHM Technology Pty. Ltd. If so, select 'Yes' to begin the installation.

User Account Control	×	
Do you want to allow this app to make changes to your device?		
MADe 3.8.7_60 Setup		
Verified publisher: PHM Technology Pty. Ltd. File origin: Hard drive on this computer		
Show more details		
	h	
Yes		

Step 2: The MADE Setup Wizard will now start. Select 'Next' to continue.



Step 3: Please review the License Agreement and select 'I Agree' to continue.

SY MADe Setup			×
License Agreement			
Please review the license terms before installing MADe.			y
Press Page Down to see the rest of the agreement.			
MADe Software Lice PHM Technology Pty. Lto	nse d.		I
 Ownership of MADe Program is owned by and copyright to Licensor. 			
If you accept the terms of the agreement, dick I Agree to continue agreement to install MADe.	. You must a	ccept the	
PHM Technology Pty, Ltd,			
< Back	Agree	Can	icel

Step 4: Accept the default or enter a new destination folder for the installation. Select 'Next' to continue.

MADe Setup		_		×
Choose Install Location				
Chaose the folder in which to install MADe				
Choose the folder in which to install MADE	•			
Satura will install MADa in the following fol	dor. To install in a differe	nt folder did	Province	and
select another folder. Click Next to contin	uer, to install in a uniere lue,	nt rolder, click	browse a	anu
Destroping Falder				
Destination Folder				
Destination Folder		Brov	vse	
Destination Folder C:\Program Files\MADe\		Brov	vse)
Destination Folder C:\Program Files\MADe\		Brov	vse)
Destination Folder C:\Program Files\MADe\ Space required: 1.0GB		Brov	vse)
Destination Folder C:\Program Files\MADe\ Space required: 1.0GB Space available: 226.5GB		Brov	vse)
Destination Folder C:\Program Files\MADe\ Space required: 1.0GB Space available: 226.5GB		Brov	vse)
Destination Folder C:\Program Files\MADe\ Space required: 1.0GB Space available: 226.5GB HM Technology Pty. Ltd.		Brov	vse)
Destination Folder C:\Program Files\MADe\ Space required: 1.0GB Space available: 226.5GB HM Technology Pty, Ltd,		Brov	wse)

Step 5: Specify the Start Menu Folder for the MADE shortcuts. By default, a 'MADE' folder will be created. Select 'Install' to begin the installation process.

hoose Start Menu Folder Choose a Start Menu folder for the M	ADe shortcuts.			
Select the Start Manu folder in which		e program's sho	rtaute Vo	
can also enter a name to create a ner	w folder.	e program a ano		ŭ
Accessibility Accessories Administrative Tools Audient Bitdefender Security CrystalDiskMark8 docker-desktop docker-desktop-data Elgato EPSON EPSON EPSON Software IBM				
M Technology Pty. Ltd,				

Step 6: The installation process will now take place. Please allow a few minutes for the installation to complete.

stalling		
Please wait while MADe is being installed.		
Extract: org.eclipse.ui.nl_jx_4.2.0.v20141223083953.jar 100%		
Extract: org.eclipse.ui.editors.nl_ru_4.17.0.v20201226074827.jar 1	00%	
Extract: org.edipse.ui.editors_3.13.300.v20200812-2334.jar 100%		
Extract: org.eclipse.ui.forms.nl_jx_4.2.0.v20141223083953.jar 100	%	
Extract: org.edipse.ui.forms.nl_ru_4.17.0.v20201226074827.jar 10	0%	
Extract: org.eclipse.ui.forms_3.10.0.v20200727-0948.jar 100%		
Extract: org.eclipse.ui.ide.nl_jx_4.2.0.v20141223083953.jar 100%		
Extract: org.eclipse.ui.ide.nl_ru_4.17.0.v20201226074827.jar 100%		
Extract: org.eclipse.ui.ide_3.17.200.v20200808-0622.jar 100%		
Extract: org.eclipse.ui.navigator_3.9.400.v20200723-2304.jar 1009	6	1
Extract: org.eclipse.ui.nl_jx_4.2.0.v20141223083953.jar 100%		
Technology Pty Ltd		

Step 7: Once MADE has finished installing, select 'Next' to continue.

•				
Setup was completed successfully.				
Completed				
Output folder: C:\Program Files\MAD	e			
Extract: VC_redist.exe 100%				
Installing Microsoft Visual C++ 2017	Redistributable			
Execute: C:\Program Files\MADe\VC_	redist.exe /q /norestart			
Output folder: C:\ProgramData\Micro	osoft\Windows\Start Menu\Pro	grams (MAD)e	
Output folder: C:\Program Files\MAD	e			
Create shortcut: C:\ProgramData\Mid	crosoft\Windows\Start Menu\P	rograms\M	ADe\M	
Output folder: C:\Program Files\MAD	e			
Created uninstaller: C:\Program Files	WADe uninstall.exe			1
Completed				
Completed				-

Step 8: MADE has now been successfully installed on your system. Select 'Finish' to exit the installer.



Silent Installation Process

The Silent install option is helpful for large deployments where scripts or automated installation processes can call the setup executable from the command line with options to install MADE.

To install the MADE software from the command line, please use the following silent installation commands:

Step 1: Open the Command Line prompt.

Right-click the Windows Start button. Select the Run option. In the Open field of the Run dialogue, type "cmd" and press enter.

Step 2: Navigate to the setup installation file for MADE. The setup file will be of the form MADE_<version number(_services pack)>_x64_setup.exe. For example, MADE_3.8.6_SP1_x64_setup.exe

Example Command:

cd %userprofile%\Downloads

Step 3: Enter the command to activate a Silent installation of MADE to the default Program File directory. On most windows systems, this will be C:\Program Files\MADE.

Example Command:

MADE_3.8.6_SP1_x64_setup.exe /S

To install MADE in a different directory, you can use the "/D" option after the "/S" option in the form: / D=<Full Installation Path>.

Example Command:

MADE_3.8.6_SP1_x64_setup.exe /S /D=C:\Applications\MADE

To confirm the installation has started, the MADE logo should appear briefly after executing the setup installation.

Environment variables for Silent Installations Licensing

Environment variables can be used to set details for Zentitle Relay Server and Local Daemon Server licensing.

For the Zentitle Relay Server the MADE_ZENTITLE_RELAY Environment variable is used. The value contains the Zentitle license code, Port Number and Host Name or IP address separated by the | and @ symbols.

MADE_ZENTITLE_RELAY=<ZENTITLE LICENCE CODE>|<PORT>@<HOST NAME>

Example Command:

Set MADE_ZENTITLE_RELAY=111122223333344444|16700@192.168.0.10

For the Zentitle Daemon Server the MADE_ZENTITLE_DAEMON Environment variable is used. The value contains the Port Number and Host Name or IP address followed by the Username and Password in the following form:

MADE_ZENTITLE_DAEMON=<PORT>@<HOST NAME>|<USERNAME>:<PASSWORD>

Example Command:

set MADE_ZENTITLE_DAEMON=16700@192.168.0.10|user1:qkvydlgz

Running MADE for the first time

Find the MADE icon on your Desktop or in the Windows Start menu and double-click to launch MADE.



On the first launch of MADE, some installation files are unpacked. Please be patient and wait for this process to finish. Do not close or kill MADE during this process. Subsequent launches of MADE will be faster.



MADE Licensing

On the first launch of MADE, the software license will need to be activated. Details on the kind of license and the details that need to be entered into MADE will be provided with your license key. For more information on Licensing please see the PHM Technology: Zentitle Licensing Deployment document.

The MADE Improvement Program

Joining the MADE Improvement Program is optional and off by default. If you opt into the program, some information about the computer running MADE and license activities will be sent to the Zentitle cloud service and be accessible by PHM Technology. The information is user to better understand how the MADE software is used and the kinds of computers it is run on. For a complete list of information sent, please see the License Use, Deployment and Data Collection section at https://www.phmtechnology.com/resources/downloads.html

Default (Cloud Based License Server)

Step 1: Enter the license code provided.

Step 2: Select 'Default' and then select 'Next' to continue.

Step 3: Review the license details and select 'Finish' to finalize the installation process.

💱 MADe License Finder					×
MADe License Finder					
Specify the licensing model being used.					y
MADe was not able to find a valid license or se	rver for authentication	ı.			
Nalpeiron Zentitle					
License Code Activatio	n				
Enter a license code: XX	xxx-xxxx->	xxxx-xx	XXX		
O Default - Zentitle Cloud Server					
◯ Use Relay Server					
O Use Local Daemon Server					
○ Offline Activation					
🗌 Join MADe Improvement Program					
If you want to help us make MADe by MADe will collect information about resolution, city and country.	etter fit your needs, pl your system configur	ease select Join MA ation such as OS ve	De Improvement P ersion, CPU, RAM, se	rogram. creen	
Request a new license					
OI don't have a license / My license expire	ed				
Legacy Licensing (FlexLM)					
○ Specify the License File					
○ Specify the License Server System					
	< Back	Next >	Finish	Canc	el

Note: To use the Cloud Based License Server, access is needed for outgoing connections to IP 184.106.60.185 and 20.237.110.18 on ports HTTP/80 and HTTPS/443 from the computer using MADE. The domain name is my.nalpeiron.com.

Zentitle Relay Server

- Step 1: Enter the license code provided.
- Step 2: Select 'Use Relay Server'.
- **Step 3:** Enter the IP address or Host Name, and Port for the Zentitle Relay Server and select 'Next'. **Step 4:** Review the license details and select 'Finish' to finalize the installation process.

💱 MADe License Finder					X
MADe License Finder					
Specify the licensing model being used.					y
/ADe was not able to find a valid license or ser	rver for authentication.				
Nalpeiron Zentitle					
License Code Activatio	n				
Enter a license code: X>	xxx-xxxx-x	XXXX-XXX	XX		
O Default - Zentitle Cloud Server					
 Use Relay Server 					
O Use Local Daemon Server					
○ Offline Activation					
IP Address / Host name:			Port: 167	01	
resolution, city and country.	your system configura	ion such as OS Ver	SIGH, CPU, NAIVI, S	screen	
Request a new license					
○ I don't have a license / My license expire	ed				
1 1 (7 1 1 - 1 1 1					
Legacy Licensing (FlexLIVI)					
Specify the License File					
Specify the License File Specify the License Server System					
Specify the License File Specify the License Server System					
Specify the License File					
Specify the License File Specify the License Server System	< Back	Next >	Finish	Cance	el

For details on how to deploy a Zentitle Relay Server please see the PHM Technology: **Zentitle Licensing Deployment Guide. Appendix A**,

Zentitle Local Daemon Server

- Step 1: Enter the license code provided.
- Step 2: Select 'Use Local Daemon Server'.
- Step 3: Enter the IP address or Host Name, and Port for the Zentitle Daemon Server.
- Step 4: Enter the Username and Password for the Zentitle Daemon Server and select 'Next'.
- Step 5: Review the license details and select 'Finish' to finalize the installation process.

MADa Liconco E	indor						
WIADE License F	inder					U	
ADe License	Finder						
Specify the licensir	ng model being u	sed.					7
ADe was not able f	to find a valid lice	ense or server	for authenticatio	n.			
Malasian Zastila							
License C	ode Acti	vation					
Enter a li	cense coo	le: XXX	X-XXXX-	XXXXX-XX	XXX		
O Default - Zent	itle Cloud Server						
O Use Relay Serv	/er						
O Use Local Dae	mon Server						
O Offline Activa	tion						
IP Addres	s / Host name:				Port: 167	00	
	Username:						
	Password:						
	provement Prog	am MADa hatta	Charles and a	lana adat lain M/	Delman	D	
MADe will	collect informati	on about you	ir system configu	ration such as OS ve	ersion, CPU, RAM,	screen	
resolution,	city and country						
Request a new lice	nse						
🔿 l don't have a	license / My lice	nse expired					
Legacy Licensing (FlexLM)						
○ Specify the Li	cense File						
○ Specify the Li	cense Server Syst	em					
			< Dack	Nexts	Finish	Cance	el

For details on how to deploy a Zentitle Daemon Server please see the PHM Technology: **Zentitle Licensing Deployment Guide, Appendix B**.

Once the licensing details have been entered the Maintenance Aware Design Ecosystem (MADE) software will open.

♥ MADe 3.8.7			- 0 ×
File Edit View Modeling Analyses Reports Preferences Integration Teamcenter	Help		
🗜 Project Explorer 👔 🖱 🗖			
Y false Concept: ::: Second			
🧐 Palette 🛙 🧧 Library 🎥 Outline 🛛 🦂 🖛 🗆	Properties 🛙 🛃 🕈 🗖 🗋	Ap Problems II	\$ ▲ @ ! ♡ □)
Search		Name Concertion of Distance	Model
> Components [107] > Parts [134]	Properties are not available.	Warnings (0 of 0 items)	

MADE Licensing - Offline Activation

Off-line Activation can be used for individual isolated PCs or on a PC where applications are blocked from reaching the internet. Off-line Activation is also a good fit for occasionally connected PCs such as a laptop taken on business trips where internet access can't be guaranteed.

Activation in a Single Session

If you currently have access to the internet or a way to transfer files or text in the clipboard to and from a device that does have internet access the License Activation procedure can be completed in one session.

Step 1: Enter the license code provided.

Step 2: Select 'Offline Activation' and the first option, 'I presently have internet and I can complete the off-line activation process now' and click on select 'Next' to continue.

				_	
Y MADe License Finder					×
MADe License Finder					
Specify the licensing model being used.					y
MADe was not able to find a valid license or server	for authentication	n.			
License Code Activation					
1111-1111-11111-42755					
O Default - Zentitle Cloud Server					
O Use Relay Server					
O Use Local Daemon Server					
Offline Activation					
 I presently have internet and I can consider the second sec	omplete the offlin want to start the a rtificate at a later cate and I want to	e activation process ctivation process. I'll time. complete the offlin	now. I take a copy of m e activation proce	y activation ss now.	
Join MADe Improvement Program If you want to help us make MADe better MADe will collect information about you resolution, city and country.	r fit your needs, pl ır system configur	ease select Join MA ation such as OS ve	De Improvement I rsion, CPU, RAM, s	Program. screen	
Request a new license					
\bigcirc I don't have a license / My license expired					
Legacy Licensing (FlexLM)					
Specify the License File					
○ Specify the License Server System					
	< Back	Next >	Finish	Cance	el 👘

Step 3: Create a copy of the Activation Request. You can save the Request to a file using the 'Save to ...' button or copy the key the clipboard with the 'Copy to Clipboard' button.

Step 4: If you currently have internet access, you can use the 'Open URL' button to launch your web browser and load the Activation Portal web site. If you need to access the internet on another device copy the URL displayed and the Activation Request to that device, launch your web browser, and load the URL provided.

		— 🗆	
ADe License Finder			
entitle Offline Activation			9
Zentitle Offline Activation			
License Code: 1111-1111-11111-42755			
Step 1: Copy Activation Request to Clipboar	rd		
The activation request will be valid for two w new activation request.	weeks once it is generated. Once it expires, you will ha	ave to generate	a
c64c2082ee84ee5372ca103a04aadd61bcbac 465d4492d59b67963b53b2ac7cf9a3cda2010 1c9c75c9e8f3f8c46309dbff8e6ee3b47a0b2b fdd8d2112b9c52b0b66ba53758ce5ec67ec57 15862e08b89bbba4bbccd795ef434061c11b 9fe938427693a36b4fb8483e76869e9e23f4e7 732eebe80c398fed5476b476f0b7bedbd9f19 590b36a783b19955d4630210a890c1e1fa88a d9a5c0efda01614399a539eb543eef6f5e6b22 6b2403ea6dcbd88fd57fb5c29f7e6b7a0f9765	ca9beb2fec5b11ac4134a67750ca84d7d2aa10c9f3ec4b3 of8d008b43ae605c3a51bcf83fbcce4a2694b24fcf64ba7a of8371f88a7ca82082e296c5fb01969af2087a97e4e541d62 7a4b3633ed645c5542f5d2a760974ae9cf5712da1d5dc3 98fd6576dd787866bbd92ad3397408bf93617440246a44 '35846b01f709aa2d53112b35eb3c0c0cc67511be7ea84 /b4e00c285a648756ab10e7f623f97bae9cc3d6ba3cef71c 14d40832f5b5825aa7fe9b4c7313ba2e174b0c0c251e59 9562090aac4861b0069c321e4ec9f78279e87a59cd227bb 56e3ec0d923fe29bfc73adb1879d055a7c1b8dbbd4199f	201525940594059405940594059405940594059405940	
Generate New Request	Save to	Conv to Clinho	ard
· · · · · · · · · · · · · · · · · · ·	acts the Activation Pequest to obtain an Activation C		
URL: https://www.activationportal.me/self	fservice/activation.aspx?Type=1&cid=7431&pid={	Open URL	
Step 2: Navigate to the following URL and p. URL: https://www.activationportal.me/self Step 3: Paste the Activation Certificate below	fservice/activation.aspx?Type=1&cid=7431&pid={ w, then select "Next" to proceed.	Open URL	
Step 2: Navigate to the following URL and p. URL: https://www.activationportal.me/self Step 3: Paste the Activation Certificate belov	fservice/activation.aspx?Type=1&cid=7431&pid={	Open URL	
Step 2: Navigate to the following URL and p. URL: https://www.activationportal.me/self Step 3: Paste the Activation Certificate belov	fservice/activation.aspx?Type=1&cid=7431&pid={	Open URL	4
Step 2: Navigate to the following URL and p URL: https://www.activationportal.me/self Step 3: Paste the Activation Certificate below	fservice/activation.aspx?Type=1&cid=7431&pid={ w, then select "Next" to proceed.	Open URL	•

Step 5: On the Activation Portal web site, paste the Activation Request into the text box and select the 'Activate' button.



Step 6: Copy the newly created certificate to a file or to the clipboard and go back to the MADE application. If you are running this step on a separate device, you will need to copy the newly created certificate back to the PC running MADE.

S activationportal.me/selfservice// × +				×
← → C 🔹 activationportal.me/selfservice/activation.aspx?Type=1&cid=7431&pid=8841&dang=en-US	Q	e 1	à	:
PHM Technology Pty. Ltd.				
MADe Activation - Offline License				
Activation Successful				×
License				
cd188658f04682a44f560d16498b7704be222db42a2a897d07ede3e0c6f4a505c07a80fe25b6ec431720c760b3ce3c3e00b214ed798078361a82dbce71aaf6dd25 1a848101ef039c146d5cbd4e5d7d72f8344b30a09088520d6a58c3503ead29b7215a5bb455b17fd8983a0f4bfc7d0d905bd9d6f5aba3a8e974ec00cc691f4742 055c7db5340600c8ce9080efaee93439f346315ce52fc4ada735ac0b6dd516953eb8807e93f96af9bb51ad22b13ab72de9cea3004393e6a808b38c92628ae916c 035c398d03cdc7360bd44bf17615f3a697652d187d0dc3142d5d0c984afd3b26f57c4456c7896a6e0d61d2be963e62327fab42fceed48d5066562faa29466f1c2 24a48bfd5dde6e7d712a02d00ca6c3be3f7d3da506976dd96d077aea4ba66e802f87e4106c60d4aacb6f280c0e50aea058a8cdd48a46d9f71fbd9736e6e3b295e 4fb230f569a60f2263cc327e98b2851c81ef0182f938ac101a54ad4b75af5aeb9480c254e3182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a4622190bd5492a20e3bd5101a154ad48b75af5aeb9480525c483182e4ed6dff39a452190bd5492a20e3bd5101a154ad48b75af5aeb948055c20705c048b93b25beacc29a9357c4114c4b22edcab74328743565 8b7ab34f5d64906e052709a4ba95ffcda6042e4251c83afc9a55a39153de604badde4c103441a6e3cde9a076d535295de87446394fc8afd19dc4ff9a34b8a14d6d9 3128167805b5c130641d57c670e1ff87367e0b60b1bfb2b571de4c1c6541685853985b37eafd55082761d9c5694460e98bd6710d1c9ad24db3f3bc7eba1ca5 28cde0bc8a93e28ff257c97a00f5bcd9h40974eb171fcf46784b54929a10757c024cc26b57d97a19178b8f2e09d888f5c4b35815d6f26feabf7b79f6cc261b11 5f9ae36e46203eb6805d2317a79a5d190c5c6bf9c0d9079e2b85b967aa9cacec7631e444ed68e27792bb1269dacc09c7642883fca17c0114cb3f3ab29cd877cc	a1d7 a04d c08ac c007 012fi 22a72 2551f1 28f6fi 11a7f c9det aeec2	152d 147b ca34 d51c 4f34 f8e3 :e66: :e873 a81f: :)3ec e1da	7 57 44 50 50 51 30 11 33 19 54 57	•

Step 7: Return to MADE and the License Finder dialogue from Step 4. Copy the new Activation Certificate into the lower text box and select 'Next' to continue.

Alle i icense Finner						
entitle Offline Activation						
Zentitle Offline Activatio	n					
License Code: 1111-	1111-11111-42755					
Step 1: Copy Activation	Request to Clipboard					
The activation request w new activation request.	vill be valid for two weel	ks once it is genera	ted. Once it expires,	you will have	to generate a	9
dc450f1ab4a2297b5420 ff466d58d54c10803b7d d8b1cc867bb7dfade724 9ffeb37b4b0100a61a2d 0189c6018b5ec1d4f0b1 b08a871c582234273e4e 5b86639bbf2c0038e75d 1f92aa6f0c67fcd0f440e 1792673b94ee25fd6f60 1184435e1a916a417155 7c9958e0d8ba3dd17d6	Dad6e6446ac0d034339b4 (2ee338c04846e2b0c047, 4df498fe20034adcee38a (08e89008b057e545306b (734667730c360ae63c8fl e4db3cdf4ec002337bb52 (1060877ec1ed4cdc2303c (65a64612d4b5c8cc9c01) a416e3202640caae8f1cc (9b4e1407a0d2b7c4e6bb (6d86588dd00a73995e7e)	18d86864f6fe021446 2981319e31930c020 a171c778ad59c9fe4 6e909d16465212cd b83eea319601d4c8b 2637329a7f0177f9c8 Jeac665b195d99e42 f05a680efe4787cc8 0f01ffdec349bf366 b9fc8d0d8ff60a441b 47ce664f7700d1db	b4b25fe879a0b8c47 b5016cdd364d33829 b09a1e8817aa72537e 5ca4bf68b1e5bb401 bd674f068103ccce9d 33bbb5d3c9e6d028 277e8a02714ce415bf 6d25056e2b5bb71b5 cbcc43632ac79a3507 bac11cdb29d84e810 08289d175e69389560	9f242d4556aC 9a4ac6c85a9 5928802c0a95 91331a8e5549 3868f4c03faa a53abe2e7ee7 af3c867117fe 95a7d9a72d9 530dea9c0129 567914886d13	0086def541c 34ad267bde 0306830dd25 0654cac645b 0499b36650 0401ff42c7 7662ac92e15 1e87720959 1500457865 1940ad8b553 ee0a728b85	
Generate New Request	t		Save to	Co	py to Clipboa	rd
	allowing LIPL and parts	the Astronom Dec		ctivation Cert	ificate.	
Step 2: Navigate to the f URL: https://www.activ	vationportal.me/selfsen	vice/activation.asp	quest to obtain an A «?Type=1&cid=7431	&pid={	Open URL	
Step 2: Navigate to the f URL: https://www.actin Step 3: Paste the Activat cc8019f1f3c61bbcbb95 59cb62d01bc52a5504e8 dceb5377e2b872dbdbb b390b48e5eafd0238978 0fb78505493086abbd0c d651424588cd1b2ad3d4	vationportal.me/selfsen vationportal.me/selfsen ion Certificate below, tl 80078c2d89d2dfd7c4b5 8127982bd10e93ee0cf1c of3dc1a9aba2380cd2529 8ae41417eb7e05c635248 cfd10fa40af1a6a9db01b 67fbf0d2373079ade00fd	the Activation Red vice/activation.asp hen select "Next" to ie7ae24f309651b150 ld93b536fd709dd53 lc70c578a993dfa90 de57015a98bebb93 4bf369d95ee1b7bed d777854807a1575ec	4uest to obtain an A (?Type=1&cid=7431 proceed. 04f5cff0d68cf6acb69 00a8a84c8f51c0135d 1dcee1775b328002d e5f66cc3ff0137da02 3bc0fc110289b273be 0dd32d6e848b3cef7	&pid={ f1528c9748fa 45d3c7ed78al 050cdade3cek def69e8e1acc eaf8d1f888c4 29bdfec834fr	Open URL 58e0ce5b92 58e0ce5b92 58b12 59b1b8fb029 Id47cc388d e3ad77492 ea3ad77492	2 2 3 3
Step 2: Navigate to the f URL: https://www.activ Step 3: Paste the Activat cc8019f1f3c61bbcbb95 59cb62d01bc52a5504e8 dceb5377e2b872dbdbb b390b48e5eafd0238978 0fb78505493086abbd0c 4651424588cd1b2ad346 9590ccd04e0b0d203213 fea4a92384927f80ee5ee f3f70b3fec0ee45e8e076 49e63edcd85212e3fb22	vationportal.me/selfsen tion Certificate below, th 80078c2d89d2dfd7c4b5 8127982bd10e93ee0cf1c bf3dc1a9aba2380cd2529 Bae41417eb7e05c635248 cfd10fa40af1a6a9db01b- 67fbf0d2373079ade00fd 2d55539f9d99994abf727 c4b6326bcd9cd5ae576f2 37f186370bf77d3eea982f 235eddb422d110425c51	the Activation Red vice/activation.asp: hen select "Next" to ie7ae24f309651b156 ld93b536fd709dd53 lc70c578a993dfa90 de57015a98bebb93 4bf369d95ee1b7bel d7f785480741575ec ia918321615b610cb 273d7fc1c9309b080 ff821e3adc99e4cd7 595242545b515d	uest to obtain an A «?Type=1&cid=7431 proceed. 04f5cff0d68cf6acb69 0a8a84c8f51c0135d 1dcee1775b328002d9 1dcee1775b32802d9 1dcee1775b3	&pid={ f1528c9748fa 45d3c7ed78al 950cdade3cek def69e8e1acc eaf8d1f888c4 29bdfec834fc ea75ef5258c1 63bf3029e55 '4588cdd6fce	Open URL 58e0ce5b92 od49398b12 ob1b8fb029 ld47cc388da e3ad774925 lea19173481 5d65222339 787e37f449b 4a251e8b19	

Step 8: Review the license details and select 'Finish' to finalize the license activation process.

- Issuer: PHM Technology Pty Ltd
- Holder: Your organization
- License Code: The last 4 digits of license code provided by the issuer entered in step 2.
- Expiration Date: The last valid date for the license
- Maintenance End Date: The last valid date for maintenance
- Joined MADE Program: Based on your selection.
- Connection Type: Off-line Activation
- License Status: Valid License Code
- License Features: Check that the expected license features for your license are listed here.

Sy MADe License Finder				×
MADe License Finder				
Your license was successfully validated, see	your License Certificate below.			y
License Certificate				
Issuer:	PHM Technology Pty. Ltd.			
Holder:	Organization Name			
License Code:	xxxxxxxxxxxxx2755			
Expiration Date:	November 01 2023			
Maintenance End Date:	November 01 2023			
Joined MADe Program:	Not Set			
Connection Type:	Offline Activation			
License Status:	Valid License Code			
Licensed Features:	MADe Modeling Safety and Risk Assessment Reliability, Availability and Maintainability Prognostics and Health Management			
	< Back Next > Fir	nish	Cance	el

Step 9: Select 'Finish' to finalize the licensing process.

Activation over two Sessions

If you don't have access to the internet on the PC running MADE, but you can transfer files or text in the clipboard to and from another device that does have internet access at a later stage, the Offline Activation process can be completed in two sessions.

Session 1

Step 1: Enter the license code provided. Select 'Off-line Activation' and the second option, 'I presently don't have internet but want to start the activation process...' and select 'Next' to continue.

💙 MADe License Finder					×
MADe License Finder					
Specify the licensing model being used.					y
MADe was not able to find a valid license or server	for authentication	n.			
Nalpeiron Zentitle					
License Code Activation					
1111-1111-11111-42755					
O Default - Zentitle Cloud Server					
◯ Use Relay Server					
◯ Use Local Daemon Server					
Offline Activation					
O I presently have internet and I can co	mplete the offline	e activation proces	s now.		
I presently don't have internet but I was a second seco	vant to start the a	ctivation process.	'll take a copy of m	ny activation	с. — Г
request and import the activation cert	rtificate at a later	time.	ing activation process		
O mave obtained my activation certain	are and I want to	complete the offi	ine activation proce	233 HOW.	
Join MADe Improvement Program					
If you want to help us make MADe better MADe will collect information about you resolution, city and country.	fit your needs, pl r system configur	ease select Join M ation such as OS v	ADe Improvement rersion, CPU, RAM,	Program. screen	
Request a new license					
○ I don't have a license / My license expired					
Legacy Licensing (Flex) M)					
Specify the License File					
○ Specify the License Server System					
,					
	< Back	Next >	Finish	Cance	el
				-	

Step 2: Create a copy the Activation Request. You can save the Request to a file using the 'Save to ...' button or copy the key the clipboard with the 'Copy to Clipboard' button.

Step 3: Create a copy of the URL displayed.

Step 4: Copy both the Activation Request and the URL and transfer them to a device that does have internet access. The Activation Request will be valid for two weeks.

ADe License Finder entitle Offline Activation Zentitle Offline Activation)
entitle Offline Activation Zentitle Offline Activation					
Zentitle Offline Activation					
License Code: 1111-111	1-11111-42755				
Step 1: Copy Activation Red	quest to Clipboard				
The activation request will I new activation request.	be valid for two weeks once it is generated. Or	nce it expires, you wil	l have to g	enerate a	
a7e4a0539acac804ff251c3l bd7133c4116fc03bda55eb 84792e58ac71d18b19a8a44 be18610c864e077a148c4b3 5f6f805644c8571ad1d6568 4151e70268d6c9d73a12c12 5ce2a4a979293b7ec3f2dc0 e1b706c43c67120d9457b9 5908b8f1baea33b53d5b87 3d3322ebad113bf96956067 d9b978b2efc03c0a0f79dd1 2956a323b2a11e563db872 e05a7d5f48d495059c1a908 91119a0af0837438a296d6b ec237e75285bfd7d6b3aac0 32f400bd377f32ce4f360738 61fea2cba76561a8f6456338 4ec114fe6656af605d3b859 634b18b16339b11348f7c7f c8cb26fca027f41e9a8d68e	bf9ee16442d02fd793be752d1799d595813dda1f 103219d2c805e0617eaf18cb833c73aba5d8076a 8da2a2523a1937a5489d9a11947ed042ef8236b5 565f0d4420693cca01a3679a8e87741b84cf618e2 6175905aa89fde61cfc1351f7b33c480a97d3a3ff 247e986f35b86354c6aa94133b2fb583677551bf2 0b884419d3a94cc26697737b269168e934f1cd572 de1bcfe51b0d456e59aeef9f30ac4abc8ad0b84d 522384f14b1202d86d3668f6c889c93ae7efbba3 18eddc868aaba06967afce9c8579c8d66213759e 10da122f1fd81e1cd96116d87af638499fd9a1ca9 9d1b55a3b0949f7247e5b682bc280c4e1d2af62b if1d4e49acca233f396492fad5f2fdd6dcd3b275e i4e68e99976a7ae832544653a6c2cafc77d300327 28306e4f3e0cdae79f53757b02d3d12331461acd 20af1b57e862a087696bc2067400acd96eaa92c8 fd7c50f9cbee4ae3ef5380562a7863ea87f1e5b07 a906dd5e0a3fddcd28c3782342e2054752c15d94	e15421b1c847d59cf5 fed61edd0133dfb39d ae55cb23a3154650b6 !8c389b29bc9dbd2ce 871ee0b72ffb4a4f42e !f5f7e89eaab921695d 23f2338d7a3362382b5 lbcc4bba700e7966a7l 7395a9f42476cbfa585 1c297087df7ad092a6 b7b40913d478d2a5a0 vd2ce0a858a6c444f9c 3ac6af11c770126296f ?81e415a80fb6b2c89i 2aec739a1c31446897l 54050826a0f8c7c03bi 4befdc88efc7b4d696i 269f39d6026e577dbffi 0f09d665560a31ae6d	e4a4531f78 18093f2b8c 191977fab5i 6b6c964ea 4e7887b03 21ddb8560 5950dae0ac 5050dae0ac 5050dae0ac 502a410e5i 7884f22cff 5073f312dl 112b5f4ae6 50a55284e 5c9b17e0c 1d7d7e249 3e4e5617d- bdae8f06fd a6ba9e17b5 d341aab6b 0469d584a 8a90f76c0	896e1e2 8ad3f0 603ba2 4c29ffb 76b9ed bd01985 ca4b91 30cafea 2f07e33 b9b180 881dbee cce25a f0a09a df7a5f2 488597 472c09b 0cdb43 372e32 3bde97 cdb806	
8013131b5d1f360e75bb218 8c5d3e7d143bd4c7ee3b75 52f1577439468eca7328e8c	c18b2ebbb53048e220509d3ad08c2ebc4d1c08 a7af0b111f1da1fa36e3188a1a6f7982d8bf2e1a6 'acfeec05c13b4ae2b82a4de300c2412ba386b92' 8995e659edfac2f31c0278ac34e627f0e512a2a00 id900f6bbc6982e3dfdb39c0c429d6ce781a0eeb 8d4ed99e9f8342d9e54b7ca6084c3bcbb7033e9	767228166ddc47508f9 6c0bac1c3826517540 ae3728d46027f136169 c85ba04dc64865cfd3	3f782b863e 9c191f7fb8 9b7ac7e02	06f39d ee5d8d 877000 1038a7f	
8013131b5d1f360e75bb218 8c5d3e7d143bd4c7ee3b75 52f1577439468eca7328e8c	c18b2ebbb53048e220509d3ad08c2ebc4d1c08 a7af0b111f1da1fa36e3188a1a6f7982d8bf2e1a6 'acfeec05c13b4ae2b82a4de300c2412ba386b92' 8995e659edfac2f31c0278ac34e627f0e512a2a00 'd900f6bbc6982e3dfdb39c0c429d6ce781a0eeb 8d4ed99e9f8342d9e54b7ca6084c3bcbb7033e9	767228166ddc47508f9 6c0bac1c3826517540 ae3728d46027f136169 c85ba04dc64865cfd3 Save to	3f782b863e 9c191f7fb8 9b7ac7e02 Copy to	06f39d ee5d8d 877000 1038a7f Clipboar	ď

Step 5: Once you have a copy of the information needed you can select 'Finish' to end the current MADE session.

Step 6: On the device with internet access open a web browser and launch the URL copied across from the previous step. On the Activation Portal web site, paste the Activation Request into the text box and select 'Activate'.



Step 7: Copy the newly created certificate to a file or to the clipboard and transfer the certificate back to the PC running MADE.

S activationportal.me/set/service/: x +			×
$\leftarrow \rightarrow C$ (a activation portal me/self service/activation as p/?Type=1&cid=7431&pid=8841⟨=en-US	QÉ	\$:
PHM Technology Pty. Ltd.			
MADe Activation - Offline License			
Activation Successful			×
License			
cd188658f04682a44f560d16498b7704be222db42a2897d07ede3e0c6f4a505c07a80fe25b6ce431720c760b3ce3c3e00b214ed798078361a82dbce71aaf6dd25c 1a848101ef039c1ddd5cbd4e5d7d72f8344b30a09088250da58c350aead29b7215a5bb455b17fd8983a0f4bfc7dd0905bd9d6f3ba3a8e9e74ec00c691f442 055c7db5340600c8ce9080efae93439f46315ce52fc4ada735ac0b6dd516953eb8807e9396af9bb51ad23b13ab72de9cea300439e5a6880B38c926228ae916cc 035c398d03cdc7360bd44bf17615f3a697652d187d0dc3142d5d0c984afd3b26f57c4455c7896a6e0d61d2be963e62327fab42fceed48d5066562faa2946611c25 24a48bfd5dde6e7d712a02490ca6c3be3f7d3da506976dd96d077aea4ba66e802f87e4106c6044aacb6f280c0e5a0ea058a8cbd48a46d49f71fbd9736e6e32b29ed 4fb230f569a60f2263cc327e98b2851c81e0182f938ac101a54ad4b75af5ae948d9b92c54e3182e4d6d6ff39a4622190bd5492a20e3bda510fa1bfd3a6e878be 81fa10ece061f1b59e505bcc87bc8bcb250692e6a35012e2ac7c6e8333175a51b58260a95c920705c048b93b25beac2ea9357cd114c4b22edcab7432874328 81fa10ece061f1b59e505bcc87bc8bcb250692e6a35012e2ac7c6e8333175a51b58260a95c920705c048b93b25beac2ea9357cd114c4b22edcab74328743565 8b7ab34f5d64906e052709a4ba95ffcda6042e4251c83acf9a55339153de604badde4c103441a6e3cde9a076d532295de87446394fc8afd19dc4f9a34b8814d6d92 312817805b5c79a00f5bccd9fbc0b60b1bfb2b571de4c1c654168865398a5b387edf5082761d9c569446098bd67101c9ad24d3f3bc7eba1ca54 28cde0bc8a9328ff25c79a00f5bccd9fb40974eb171fcf4784b5249291075rce024cc26b57df971f19178b8f2e094888f5c4db35815d5f3664b36c2211011c9ad24d3f3bc7eba1ca54 28cde0bc8a9328ff25c79a00f5bccd9fb40974eb171fcf4784b5249291075rce024cc26b57df971f19178b8f2e094888f5c4db35815d6f266abf7b79f0cc201511 5f9aa36e46203eb6805d2317a79a5d190c5c6bf9c0d9079e2b85b967aa9ca0ce7631e444e6d8e27792bbd1269dacc9c7642883fca21rc0114cb3f3ab29cd8f72ca 28cd20bc8a9328ff25c72a005bcc4b3b4d54c4b3c4b45c4b40604375565614b0460a20a33765664d0a9abd671266c64b36267792bbd1269dacc9c7642883fca21rc0114cb3f3ab29cd8f72ca 28cd20bc8a93e28ff25c7a20305bcd4b3b54b462b4b7b40b64b4267792bbd12664c4b324bb376664b40b94b47c56c614b0400437656c514b046002033765664d0a9a3765664b0a9a376564b6a934b620c9c7642e883fca21rc0114cb3f3ab29cd8f72ca 28c	11d7f5 104d44 08acca 1007d5 102ff4f 2a72f8 51f1ce 8f6fe8 1a7fa8 9de03 sec2e1 1	2d7 47b7 a344 51dff f34b 8e3d 6630 731 81f3f fec19 Ida4	•

Session 2

Step 8: Enter the license code provided. Select 'Off-line Activation' and the third option, 'I have obtained my activation certificate and I want to complete the off-line activation process now' and select 'Next' to continue.

Sy MADe License Finder					×
MADe License Finder					
Specify the licensing model being used.					y
MADe was not able to find a valid license or server for	or authentication	1.			
Nalpeiron Zentitle					
License Code Activation					
1111-1111-11111-42755					
O Default - Zentitle Cloud Server					
Use Relay Server					
O Use Local Daemon Server					
Offline Activation					
 I presently have internet and I can com I presently don't have internet but I wa request and import the activation certification I have obtained my activation certification Join MADe Improvement Program 	nplete the offline int to start the ad ificate at a later t te and I want to	activation proces tivation process. I ime. complete the offli	s now. 'll take a copy of m ne activation proce	y activation	
If you want to help us make MADe better f MADe will collect information about your resolution, city and country.	it your needs, pl system configur	ease select Join M/ ation such as OS v	ADe Improvement l ersion, CPU, RAM, s	Program. screen	
Request a new license					
\bigcirc I don't have a license / My license expired					
Legacy Licensing (FlexLM) Specify the License File Specify the License Server System					
	< Back	Next >	Finish	Cance	el

Step 9: Copy the new Activation Certificate into the lower text box and select 'Next' to continue.

YMADe License Finder					\times
ADe License Finder					
Zentitle Offline Activation					Y
Zentitle Offline Activation					
License Code: 5213-9472-56866-42755					
Paste the Activation Certificate below, then sel	ect "Next" to pro	ceed.			
43ff42065e0e5e44097012199f3400ffddc543d79 2f195fbb4d60a3994ac05d50bf611093f6b1a8c8 aa1d52a1fca3528eb7283309e473fa8a2de8efc33 061f00e886483a67cfd57bb4e887ca3655f7cf67e 264e563e06ee2fa7dfa2cbca940b51956a14dc1ff 6f759a70de648ffadfd7dca4bb7ae3f106012b89 4a6e3596acbc6b9e91d83573f44a0524c7dcd5d 7deeca9391cb115f3a549bf898665c610e8bd67c f0322990c6e9dcc25f06d90983cfe8959f1a1a053 7f7c70410911d016cc68a73d48f6d0b8261324c7 37d1512126a03fa25d88e5ad904b933bfa7daaa5 336907f3032a2b1247480ab9cf280dd10b8964ef 1c1d43fa6bbfc047c11bd22ad71b9a025e03e412 b26278b29df69d24dfc21861e7d67d9112a9ebb 5020bb0d2e64bb220b18c625df5b7512f1a4c86 ee0d59d1bdae13eb02da05ce58607d13973e507 3187f9929f05cea2492eb3467e233da3910d6785 d1aed258b7d7edb30d407ef114812777c004feb 8e2203af4eee03da7022d88430ad267be4d3ade 264efbea3db3ddd4172eaefa50af5f743b39612e 2325064441ef28ae50b5f494d504b25a814ffe17c e28bb3592eabc9129ee7f45d89d5cac54b1dea5 92870b828fbcccc9c1704ac6ffe6358c5da34416 f1cd1baf63824da7eba1862dc37e9b3b5745103 cfecd26895b9d11e3ae2881b3242c11274271add 3117f564d1790150ba65b490e4cd86c159fe95da 4a3b4a2d626febd5c2fac4af5575be8a30d3b974 b37c368ef3be698c1c8242d9a6e7965d355e67fc 7b07a5793fcf06610e461e6aa9e0bbf0fae16b533 60f1b6a131997b213e52582593415b9936bd1210 eaaa626183cc3c7f301d9e9b7554df6650819e66 d295c9f0f76d7f3b09afee5f7cd165e69c865ef3 bec183778474ca998a1e6551388e14444e794188 7e05e49e34f3e163e5af3f77f98f4b54779acd767 e552f3a6384dda5174ac8c32070425c51595242	d978e822565bab7 e7b41bdfb9543ef 387e0077659ea4d e3157131aa2702a2 e78eda8a19b7e8a 19871ddada9ff960 a6a1b70bed6e1a6 e981646ead08ffb4 e4b2dcb00b9e7e 7d5c6b8884c44d 54f78a770adbc4ef 371c055e30a2e53 2317f71e19ebc436 eae26bd104e627a 59c9ecf018e82435 7d6c57a06d6ccf7c f93db1f4cafa63f9 40871331d94ef50 c9fdc6b6fd1081a 4e562bb13c79348 dde7b69d800292 7d60c42fc9d62ae 4e525f661cd813ce 3beb283f88abfa2 c1140e79317ff45a ac41dd19270cb90 42d38e6383ee20fc c569347f3e1bef4b dc2b04166f374a2 087b97dab520196 63180ea50bb257e c5350debce028455 3a4ceda7f9df8e10 545b515d	7b458c2e3ff7a32b69 ff6a0deb21699505c2 001e0321dacbf4d45 ffb7e00cb0964d64c6 34e19e9b1d5a0d3c2 J479ef63a00b9a01d 1cb1b35edb938593 ba5cb8d8992bbb40 5c99cb21dcf4c5a26 J4be613ab3b9c1dfa 9f6773ce505ca7535 1e16399e38e44192b 149c3366de844b9ei 0ea335b6874411b2 0abfe8898bf3cd650c 126dd2a61ca5c3845i 714be037ecd4a6b06 3cd801f56c80ab5e0 efcb4f5d217a7c9847 1052b31ea6abd67ab 6e6a84a5fb811c7d6 b1c754784e40051711 ebe5dbb5ba51a841a 1a99fcd60f186edf8 1711f2a343e1153116 a1f9c7a2e5d962ffc66 9319e1bf1f64774fff7 30dc1d430e0a9ca85 18f6ce6d5e8973c65 ±b3f6383c1c91289dc 679c1da7112cade70 9fc54082b0d3c1bc2 J6058df33de266eae	1c05bf3d4c4ef4aca 2a3d26e4e5f98335d 5b23203d7f7f2c827 2b15dc41ad6f96b33 4b99b6c8cff62a6a ad85ad520f298df5c ed1022aa83e9c348 95565771359f3b2e4 43f4f7fb3c3bb22b9 e720efe8c0e902655 233dcfc76ffe4e758 9116ef0b40e92794d 746574ecddba2a45a 138e6282bbed5c6c1 070f8074f3923480ca 94805e47bc22a6ec 4c320548a171e75ffc 1005837fb40b85747 53335b31dcf5151ec dfb39aa77591ccd2 32bbe6e999e9a5ec aa063c0000319726i 7399dc317adf5a2e8 d198c72d3339276a e0365b90d70be4781 3396c0dc9f4e890ab (289b6c9d4b7952dl 73d9669448815e0dd 1f3133c45b4ceaa52 15c194a6109c2ca28 34ba6e4eade7a2757 7288c460b85294741	6bf4b96f 051a51f2 81499ea0 85c3d74 996ecf0c5 406b5876 406b5876 4c5eaba5 1c21c00b 3a6c1804 9b6bc6e0 ed198389 da9d34e5 lfbbdbfe af4c7b31 4cefbea6 ada55711 5328a5e3 54dfe5b5 aed05f2d cffce81cc 65d0e793 1402e029 9a652810 884750e1 ab42fc0b 196a0ae2f 6f6ec33d0 5521a644 ccb7992c 988ace04 46ab9a02 af3821332 cec5a3bb feece19e	
	< Back	Next >	Finish	Cance	el

26

Step 10: Review the license details and select 'Finish' to finalize the license activation process.

- Issuer: PHM Technology Pty Ltd
- Holder: Your organization
- License Code: The last 4 digits of the license code provided by the issuer entered in step 2.
- **Expiration Date**: The last valid date for the license
- Maintenance End Date: The last valid date for maintenance
- Joined MADE Program: Based on your selection.
- **Connection Type:** Off-line Activation
- License Status: Valid License Code
- License Features: Check that the expected license features for your license are listed here.

SY MADe License Finder		<u> </u>		X
MADe License Finder				5
Your license was successfully validated, se	e your License Certificate below.			7
License Certificate				
Issuer	PHM Technology Pty. Ltd.			
Holder	Organization Name			
License Code	xxxxxxxxxxxx2755			
Expiration Date	November 01 2023			
Maintenance End Date	November 01 2023			
Joined MADe Program	Not Set			
Connection Type	Offline Activation			
License Status	Valid License Code			
Licensed Features	MADe Modeling Safety and Risk Assessment Reliability, Availability and Maintainability Prognostics and Health Management			
	< Back Next > Finis	h	Cance	el .

Step 11: Select 'Finish' button to finalize the licensing process.

Adding additional license codes

Additional license codes are handled automatically by PHM Technology when using the Default (Cloud Based License Server) or Zentitle Relay Server methods. For PCs using Off-line Activation, additional license codes will need to be activated on the PC running MADE. Please note that additional license codes are not supported by the Zentitle Daemon Server.

Step 1: Select 'Help' from the main menu in MADE and then select 'License Management'.

WADe 387 - □ × File Edit View Modeling Analyses Reports Preferences Integration Teamenter Help Project Explorer										
File Edit View Modeling Analyses Reports Preferences Integration Teamcenter Help Project Explore Project Explore File Edit View Modeling Analyses Reports Guides > Manuals > PHMTWebsite Manuals > PHMTWEbsite	S MADe 3.8.7							-		×
Project Explore Project Explore Project Explore Image: Project Explore	File Edit View Modeling Analy	/ses Reports Preferences	Integration Teamo	nter Hel	р					
Project Explore Project Explore Glossary	I 🗠 🖨 🕼 🕼 🖉 🏷 🧗	l 🛃 🖻 👰 🗉 🚳 🐇	900	?	Help Contents					
Guides Guides Manuais PHNT Website MADe Release Notes Search Search > Design > Maintenance > Manuais > Design > Moniterance > Manue > Properties are not available.	Project Explorer			LU I	Glossary					
Image: Search Properties are not available. Image: Parts [134] Image: Properties are not available.	8				Guides	>				
Failure Conc S Failure Conc S Search About MADe Failure Conc S About MADe Failure Conc S About MADe Failure Conc S About MADe Properties S Properties are not available. Properties are not available. Name Manufacting Properties are not available. Properties are not available. Name Model Properties are not available. Name Manufacting Properties are not available. Name Marring: (0 of 0 items) Warning: (0 of 0 items)	ŏ				Manuale	(
PHMT Website MADe Release Notes Search > Failure Conc X > failure Conc X > About MADe Failure Conc X > About MADe Failure Conc X > About MADe Paire Conc X > Properties X > Properties X > Properties X > Properties are not available. Paire Conc X > Properties are not available. Paire (0 of 0 items) A Warnings (0 of 0 items) A Warnings (0 of 0 items)				_	Walluals	_				
Failure Conc Si Components [107] P Si Components [107] P Parts [134] MADe Release Notes MADe Release Notes Search About MADe					PHMT Website					
Failure Conc 23 C Search Failure Conc 23 C Search Search Manufacturing Operation Properties 23 C Search Search Search Properties 24 C Search Search Search Search Properties 23 C Search Search Search Properties 24 C Search					MADe Release Notes					
Failure Conc S Failure Conc Conc Conc Conconce Conc Conc Conc Conc Conc Conc Conc Conc					Send Bug Report					
Failure Conc X Forgerties X Forgerties are not available. Forgerties are not available. From Failure Conc (0 of 0 items) Forgerties are not available. Forgerties are not available.				Ö	Send Feedback					
Failure Conc S3 Search Assembly and reassembly Manufacturing Operation Transportation Properties S2 Search Properties S2 Problems S2 Manufacturing Operation Properties S2 Manufacturing Operation Properties S2 Manufacturing Operation Properties S2 Manufacturing Operation Properties S2 Manufacturing Operation Properties S2 Manufacturing Operation Model Properties are not available. Properties are not available. Manufacturing Search Properties are not available. Model Model Model Model Model Model Manufacturing Search Properties are not available. Manufacturing Search Properties are not available. Model Model Model Model Model Model Manufacturing Search Properties are not available. Manufacturing Search Properties are not available. Properties are not available					License Management					
Failure Conc S Search > Assembly and reassembly > Design > Manufacturing > Operation > Transportation Properties SS Search > Components [107] > Parts [134] Properties are not available. About MADE				-						
Failure Conc Search Assembly and reassembly Design Maintenance Maintenance Maintenance Operation Operation Transportation Properties X Properties X Properties are not available. Mame Model Of terms) A Warnings (0 of 0 items)				2	About MADe					
Failure Conc S Search Assembly and reassembly Design Maintenance Mainfacturing Operation Transportation P S *2 Search Properties S *2 *2 *2 *2 *2 *2 *3 *4 *4 *4 *4 *5 *4 *4 *5 *5 *5 *6 *7 *8 *1 *1 *2 *2 *3 *4 *4 *5 *5 *5 *6 *7 *8 *1 *1 *2 *2 *3 *4 *4 *5 *5 *5 *6 *7 *8 *8 *1 *1 *1 *1 *1 *1 *1 *2 *2 *3 *4 *4 *4 *5 *5 *5 *5 *6 *7 *7 *7 *7 *7 *7 *7<										
Search Assembly and reassembly Design Manufacturing Operation Transportation P 2 P 2 P 2 P 2 Properties 2 Properties are not available. Armings (0 of 0 items) Armings (0 of 0 items)	Failure Conc 🛛 🗖 🗖									
Search Assembly and reassembly Design Manufacturing Operation Transportation P S *2 P components [107] Properties are not available. Parts [134]	V 🔷 🗢 🖇									
 Assembly and reassembly Design Maintenance Manufacturing Operation Transportation P S *2 2 Components [107] Parts [134] Properties are not available. Properties are not available. Model Model Search Parts [134]	Search									
Design Maintenance Manufacturing Deration Description P & *2 Components [107] P roperties are not available. Properties are not available. Properties are not available. Properties are not available.	> C Assembly and reassembly									
Maintenance Manufacturing Operation P 2 Properties 2 Properties 2 Manuel 4 Model Search Properties are not available. Name Model P arts [134] Properties are not available. Model	> 🗀 Design									
 Manufacturing Operation Transportation P 2 2 2 1 1 Properties 2 2 8 1 Properties 2 2 8 1 Properties are not available. Properties are not available. Marnings (0 of 0 items) Warnings (0 of 0 items) Image: Component of the second of the se	> 🗀 Maintenance									
Operation Transportation Properties 2 Properties 2 Properties are not available. Properties are not available. Properties are not available. A Warnings (0 of 0 items)	> 🗀 Manufacturing									
See Transportation P R * Search Components [107] Parts [134] Properties are not available. Name Model Output Mainings (0 of 0 items)	> Operation									
Search > Components [107] > Properties are not available. Name Output Output Output Output Name Output Output Output Output Name Output Output <	> Transportation									
Search Name Model > Components [107] Properties are not available. & Errors (0 of 0 items) > Darts [134] A warnings (0 of 0 items)	🧐 P 🛛 🔭 🦂 🗖 🗖	Properties 🛛	28 - 0	🇞 Proble	ms 🖾			4g 📣 🕯	<u>ن</u> ه 8	
> Components [107] Properties are not available. Image: Components [107] > D Parts [134] Properties are not available. Image: Components (0 of 0 items)	Search			Name			M	odel		
A Warnings (0 of 0 items)	Components [107]	Properties are not available		😣 Err	ors (0 of 0 items)					
	> Parts [134]	Properties are not available.		🙆 Wa	arnings (0 of 0 items)					
							1			
			:				: 💛			

Step 2: Select 'I want to activate an additional license' and then select 'Next' to continue.

💙 MADe License Finder				×
MADe License Finder				
Your license was successfully validated, so	e your License Certificate below.			y
License Certificate				
Issue	PHM Technology Pty. Ltd.			
Holder	Organization Name			
License Code	xxxxxxxxxxxx2755			
Expiration Date	October 01 2023			
Maintenance End Date	November 01 2023			
Joined MADe Program	Not Set			
Connection Type	Offline Activation			
License Status	Valid License Code			
Licensed Features	MADe Modeling √ Safety and Risk Assessment Reliability, Availability and Maintainability Prognostics and Health Management			
 I want to activate an additional licen Return License Return the license Once MADe returns your license and re-activated on another com 	uccessfully, MADe will be closed automatically puter.	ι. The license cod	e can be u	ised
	< <u>B</u> ack <u>N</u> ext >	Einish	Cance	el

Step 3: Follow the Off-line Activation process for either the single session or two session method.

Step 4: Check the entry for each license.

- Issuer: PHM Technology Pty Ltd
- Holder: Your organization
- License Code: The last 4 digits of the license code provided by the issuer entered in step 2.
- Expiration Date: The last valid date for the license
- Maintenance End Date: The last valid date for maintenance
- Joined MADE Program: Based on your selection.
- **Connection Type:** Off-line Activation
- License Status: Valid License Code
- License Features: Check that the expected license features for your license are listed here.

State MADe License	e Finder			\times
MADe License Your license was	e Finder s successfully validated, see	your License Certificate below.		>
License Certific	ate			
	lssuer:	PHM Technology Pty. Ltd.		
-	Holder:	Organization Name		
()	License Code:	xxxxxxxxxxxx2755		
	Expiration Date:	November 01 2023		
	Maintenance End Date:	November 01 2023		
	Joined MADe Program:	Not Set		
	Connection Type:	Offline Activation		
	License Status:	Valid License Code		
	Licensed Features:	MADe Modeling √ Safety and Risk Assessment		
License Certific	ate			
[]	Issuer:	PHM Technology Pty. Ltd.		
	Holder:	Organization Name		
()	License Code:	xxxxxxxxxxxxx4886		
	Expiration Date:	November 01 2023		
	Maintenance End Date:	November 01 2023		
	Joined MADe Program:	Not Set		
	Connection Type:	Offline Activation		
	License Status:	Valid License Code		
	Licensed Features:	Reliability, Availability and Maintainability Prognostics and Health Management		
		< Back Next > Finish	Cance	

Step 5: Select 'Finish' to finalize the licensing process.

Offline Deactivation

Step 1: Select 'Help' from the main menu in MADE and then select 'License Management'.

Step 2: Select 'Return the licenses' and then select 'Next' to continue.

ADe License Finder /our license was successfully validated, se	ee your License Certificate below.	0						
our license was successfully validated, se	ee your License Certificate below.							
Joined MADe Program	Not Set							
Connection Type	Offline Activation							
License Status	Valid License Code MADe Modeling √ Safety and Risk Assessment							
Licensed Features								
License Certificate								
Issuer	PHM Technology Pty. Ltd.							
Holder	Organization Name							
License Code	: xxxxxxxxxxx4886							
Expiration Date	November 01 2023							
Maintenance End Date	November 01 2023							
Joined MADe Program	Not Set							
Connection Type	Offline Activation							
License Status	· Valid License Code							
Licensed Features	Reliability, Availability and Maintainability Prognostics and Health Management							
Activate Additional License								
I want to activate an additional licens	e.							
Return License Return the licenses Once MADe returns your license : used and re-activated on another	uccessfully, MADe will be closed automatically. The license code can be computer.							
	< Back Next > Finish Cancel							

Step 3: Select the license you would like to deactivate and then select 'Next' to continue.

De Lienne Fieder		-	
ADE LICENSE FINDER			y
Deactivate Licenses			
Please select a license code to start the deactiv	vation process.		
xxxxxxxxxxxx4886			
The following main license can be deactivated xxxxxxxxxxxx2755	d after all other licenses are deactivated successfully.		

Step 4: Double check that the right license code is about to be deactivated and check 'I confirm I would like to off-line deactivate the license code above', then select 'Next' to continue.

MADe License Finder				×
ADe License Finder				
entitle Offline Deactivation Confirmation				7
Zentitle Offline Deactivation Confirmation				
License Code: xxxxxxxxxxxxxx4886				
I confirm I would like to offline deactive	ate the license code	above.		
Once you confirm and proceed, you	r license will be dead	tivated on this com	puter immediately	

Step 5: Create a copy of the Deactivation Request. You can save the Request to a file using the 'Save to ...' button or copy the key the clipboard with the 'Copy to Clipboard' button.

Step 6: If you currently don't have internet access or if you need to access the internet on another device, take a copy of the URL displayed as well.

Step 7: Copy both the Deactivation Request and the URL and transfer them to a device that does have internet access. The Deactivation Request will be valid for two weeks.

У MADe License Finder				_	×
MADe License Finder					
Zentitle Offline Deactivation					y
Zentitle Offline Deactivation					
License Code: xxxxxxxxxxxxx4886					
Computer ID: 2L4+qEhq3XfelWrKxUfp					
Step 1: Deactivation Certificate:					
0c025143b8827ccc6aa172ed815648ad77d1effb f2698728baf71549f70b4f3e84d8911034b6d0a0 1fb6bda002eabc15886c5a0c3b1eaa4821210ce/ dd8aecef675d76efb762a4f1011013b252cfed9d 531a2b7d639da3d2f7365983d11e7c6bcd19fe8 d1799fde94106e376a2fb37e12cbe5662db09bb c93a747fc6966bbf3ac5c69659833e216e2c7dfd 2d267afce7ee9de5308a5c57c9da4bcb06c24db 3429d885ca67370fce04cce3f3c4f97092b353254 10c68c23e8d5f7c8ec486456306cb7dddcfd95cc 4343981208ca6a60d3555622f864fac9e1393ad2 a5febc07587137a6f6c9aa1bc1098ad82388daac df654435bad91da9dec7824e2c0f8e2c3888498 ab48902012b61db56601aac6e805ec6e557943cc 3f379a86ad145e4389adb30dea45c2d0aacb5bb 93ba851f29a5c0bc5d4639e7d17c0cc3c90b91c 6d8fc2c16af56e7e8bcb37184c4601c2f847a7813 7868a20254c2cb3d95aedecb468821e74d98cea 3216874ca40027e6e36ff15a2447a588c6607b47f 6e47563ee6f7441af2680fe05802e3ed01c642a7f dbbboc2b400b4250fbb0b2616f52b02f2cdae05	4c5ea074d13f88cf8 fa51b6258045e89e2 22f937b57b3f99af5 5b9b0d3c1f8f40b12 7e707f7b0c563d23f ac5153c38d882e527 856cf2bdb9fb0f432 6c34fb8d6ee409e32 4eb50de162612a6d1 dc4c88acaccac87b7 291597ffa55ebd74f; 191206f59356e6a557 261702bfb6cc813e7 dic2b93348bb2441 50e599720d2541a1 3324cd342406bbac 3e980185c6a3ad22f e820c45fa6529402a 015d5b61e7f6f6882 65c9315a94e080eef 5252568270b17746	If5d83d54db35a fb013b258f3776 iedbaba6477da5 2c590324a5314cc 5c690902370718 2c590324a5314cc 5c60902370718 2r39c6a5052501 2ccefbbf8e1f9fcc 9181067650743 i24f0f7138f5d52 3c25aae486f3954 i24f0f7138f5d52 a3e5aae486f3954 i242a3147d8f55 c22770 i24f0f7138f5d52 a3e5aae486f3954 i265a9c981 i26405a9c981 i26411ef346ff i2b0330fa56a2di 58c7be2836b42c 8dc42346e0cfa1 i334bb6d5af3ae4 i60721640-541b	a38c82e457f0720 323b267d670f0c ie2f45e33596e68 c61e2a339f709bc bb9ddcf7ce2eae 660e99bae9cb90 3f15441ce49a700 d21a8c5a6f31936 iacb3ef5c4f35c6 e2ad2ed4a37668 i50faea36d8dcb2 i532ee718d26b77 ec6550c4613b48 ic862ecd497f4cct ce10aa715b1e14 bef46ead2f7cc11 60b51b40990347 d810367ce3185d 7e47c53ea35b1f0 43ae565225686d 0-b002-booxe4	08cfea8c6f966 d815da063492 91c52c3ae496 df6ad79b9363 s2e76b537b2c 0429c00de203 9e6dc721cd86 5dfbce25d8ad ic1f71a6e498d icf80e72f3318 ace34b9f60f02 8788bd853324 8aea3663461e s29ba5b11b7a 45fe1ce4fec41 b0da9813dd17 10a7e32b66bfc 94cd1be872f8 0435191855c3 19b4c93f67a3e d=002-1077-	
		Save	to C	opy to Clipbo	ard
Step 2: Navigate to the following URL and past server side. URL: https://www.activationportal.me/selfser	e the deactivation o	ertificate to fini	sh the license de d=7431&p	eactivation on Open URL	the
	< Back	Next >	Finish	Cano	:el

Step 8: Once you have a copy of the information needed you can select 'Finish' to end the current MADE session.

Step 9: On the device with internet access open a web browser and launch the URL copied across from the previous step. On the Deactivation Portal web site, paste the Deactivation Request into the text box.

🛛 activationportal.me/selfservice/ x +				$^{\vee}$	-		×
← → C ■ activationportal.me/selfservice/deactivation.aspx?Type=1&cid=7431&pid=8841⟨=en-US	Q	6 1	U	•	*	- ()	:
Deactivation Certificate							
ble82269bd9e7910ed8ba1c04470f59393a107290c11eb65aff57e2882b0763a5e4f5880f346a7a73240f4a78868fd6c631509d43a17ff6a52e6 5ad04ad353e5b407b0c16bf8cb71746945e693c6099fbc8f7cb48d9ca50224a7dcfa47b878e64e81a2d7da2db3c7a775c0b7328dedb13a2b teeec2df5d10325b23fe1b2cd1729c7d2bb40df9b480c593245d50196a25e65c9ea74e36a1ecb017b10c258bfbeaf90043a39820f18288c3356 70506250c15427ba633d32543be7240371d729a6a1de22c1acd5ce2dde3ded0fde4788501b9822f7d4a2140d31f8eb97369b4ec4d9f0acc 3cdd13aa7ed869299f28bce2224ca95cc42b583635a9c6783f6df6bb7a568f4d609b6b90d1e9ce89bd9c3a7ae791395fc7778bddfae11d451 1106becbcd0d42dbcf47ca2b3893cd713a9fc9664e8552d54b3c1d70f8f56862d341791f086756e4383de166eb51e4057bef470232a36e8bc d47dc26797f3f9a70ee8fcde5fefae1250fccd77c9988febf6656535d51765f2d5f0b51ebba3334fb892d5d1a7c759acbee29e748c30b67d6f329 9d1a8c01da4bcbbc1d0a344a93bee43e3bf6b9be5b1d444370d8e4c212a1474a173f6db27ec1ba75411c1b505bff47761a58971260caf492cc 27c41fafcb4e17369b154f2D018f94d3f8b19eee6963f2c310682dc071c1d19ef8fca84eef2def4f85d82ace4343815dc3bc0f5331cc 9a9317305b2ec59fa9bd54ddf61982c5bea6eccec0d36e9970340647832653c31c7250823ad2a4251397d7838c0b5950c3c5157bd15237e 9964431ad0d37049e1d151d2d27f117495cf8c96b3106ab51bcc6e78c79ad136409a5053924c1ab0425c5195245545b515d	c658 2cc1 5142 107a 79ac0 8d98 be84 90c63 347e2 7815 44fcc	b1233 ae280 bd370 8df6a 05d3a 6bea2 42415 3cec3 267ff5 5c9d5 12566	ab7c ebca cf9c4 ff562 bed3 626b f590 49df 574e b336 c9b1	57a5 5441 48810 2859k a988 521d0 14c3 1998 6d9c 6a34 c2b1	5119 7409 3d3 668c 8f20 09d7 66c2 24a3 b635 5697 1ade	9193 6ca3 974a 2e52 41d2 dd3 68fe b6fc b42 0981 6617	
Deactivate							

Step 10: Select 'Deactivate'. The deactivated MADE license can now be used on another PC.

🔞 activationportal.me/selfservice/c x +			,	~	-	0	×
← → C 🔒 activationportal.me/selfservice/deactivation.aspx?Type=1&cid=7431&pid=8841&dang=en-US				©	*	I (]	:
Deactivation Successful							×
Deactivation Successful							
Deactivate another							



END



Decisions better made

9/120 Queens Parade North Fitzroy 3068